The Third National Workshop on the SKA Project - The Italian Route to the SKAO Revolution



Contribution ID: 40

Type: not specified

Comparing APERTIF HI statistics with baryonic scaling relations in the Local Universe

Wednesday, 6 October 2021 17:40 (20 minutes)

We present estimates of the atomic gas mass MHI in galaxies within the APERTIF SNS survey region. To do this, we have relied on empirical gas scaling relations based on stellar mass and star-formation rate established in the Local Universe. From the inferred HI masses, we derive HI mass functions (HIMFs), and find reasonable agreement with HIMFs derived observationally. The comparison with APERTIF HI content shows that HI-selected samples and optically- or mass-selected samples behave differently. The details of these differences will help constrain future predictions and inform models of galaxy evolution.

Reasearch area

HI galaxy science

Primary authors: HUNT, Leslie Kipp (Istituto Nazionale di Astrofisica (INAF)); Dr ADAMS, Betsey (AS-TRON); Dr HESS, Kelley (ASTRON); TORTORA, Crescenzo (Istituto Nazionale di Astrofisica (INAF)); SCODEG-GIO, Marco (Istituto Nazionale di Astrofisica (INAF)); DE LUCIA, Gabriella (Istituto Nazionale di Astrofisica (INAF)); APERTIF, Team (ASTRON)

Presenter: HUNT, Leslie Kipp (Istituto Nazionale di Astrofisica (INAF))

Session Classification: Nearby Universe