## The Time Machine Factory [unspeakable, speakable] on Time Travel



Contribution ID: 29 Type: talk

## The quantum theory of time: from formalism to experimental test

Monday, 23 September 2019 17:05 (40 minutes)

The violation of the discrete symmetries of charge conjugation (C), parity inversion (P), and time reversal (T) observed in high energy physics are clearly fundamental aspects of nature. A new quantum theory [1,2] has been introduced to demonstrate the possibility that the violations have large-scale physical effects. The new theory does not assume any conservation laws or equations of motion. In particular, if T violation is turned off, matter is represented in terms of virtual particles that exist momentarily only. However, with T violation turned on, what was the mathematical structure of a virtual particle now traces out an unbounded world line that satisfies conservation laws and an equation of motion. The theory is then analogous to the 5 dimensional "proper time" formalism introduced by Feynman [3], extended by Nambu [4] in the 1950's, and developed as "parameterized relativistic quantum theories" [5]. The important point here is that time evolution and conservation laws are not built into the new theory, but rather they emerge *phenomenologically* from T violation. In other words, the new theory proposes that T violation is the *origin of dynamics and conservations laws*. It has experimentally testable predictions and offers new insight into the quantum nature of time.

The talk will include an analysis of the nature of the T violation from known and expected sources such as mesons, neutrinos, and a Higgs-like scalar field. In appropriate parameter regimes, the commutator of the time-reversed versions of the associated T violating Hamiltonian,  $\hat{H}_F$  and  $\hat{H}_B$ , is found to approach the canonical form  $[\hat{H}_F, \hat{H}_B] = i\lambda \hat{1}$  where  $\hat{H}_B = \hat{T}\hat{H}_F\hat{T}^{-1}$ ,  $\hat{T}$  is Wigner's time reversal operator,  $\hat{1}$  is the identity operator, and  $\lambda = \langle i[\hat{H}_F, \hat{H}_B] \rangle$  represents the amount of T violation.

- [1] J.A. Vaccaro, Quantum asymmetry between time and space, *Proc. R. Soc. A* **472**, 20150670 (2016). https://dx.doi.org/10.1098/rspa.2015.0670
- [2] J.A. Vaccaro, The quantum theory of time, the block universe, and human experience, *Phil. Trans. R. Soc. Lond. A* **376**, 20170316 (2018). https://dx.doi.org/10.1098/rsta.2017.0316
- [3] R.P. Feynman, Mathematical Formulation of the Quantum Theory of Electromagnetic Interaction, *Phys. Rev.* **80**, 440-457 (1950), Appendix A. https://dx.doi.org/10.1103/PhysRev.80.440
- [4] Y. Nambu, The Use of the Proper Time in Quantum Electrodynamics I, *Prog. Theor. Phys.* 5, 82 (1950). https://dx.doi.org/10.1143/ptp/5.1.82
- [5] J.R. Fanchi, Review of invariant time formulations of relativistic quantum theories, *Found. Phys.* **23**, 487-548 (1993). https://dx.doi.org/10.1007/BF01883726

Presenter: Prof. VACCARO, Joan A. (Griffith University)

Session Classification: Teleportation, entanglement and CTCs/OTCs