



ESO VLT Beyond 2030: the role of INAF

INAF Osservatorio Astronomico di Capodimonte

8-9 October 2026

SAXO+: Enhancing SPHERE high-contrast capabilities



Emiliano Diolaiti

INAF - Osservatorio di Astrofisica e Scienza dello Spazio di Bologna



SAXO+: Enhancing SPHERE high-contrast capabilities

L. Schreiber ^(a,b), **E. Diolaiti** ^(a), **S. Desidera** ^(c), **F. Cortecchia** ^(a), **M. Lombini** ^(a), **R. Gratton** ^(c), **S. Antonucci** ^(d), **V. D'Orazi** ^(e,d), **A. De Rosa** ^(a), **A. Garufi** ^(f), **G. Malaguti** ^(a), **D. Mesa** ^(c), **G. Morgante** ^(a), **F. Schiavone** ^(a), **A. Tacchini** ^(a), **L. Terenzi** ^(a), **C. Béchet** ^(g), **I. Bernardino Dinis** ^(h), **O. Boebion** ⁽ⁱ⁾, **G. Chauvin** ⁽ⁱ⁾, **P. Delorme** ^(b), **M. Feldt** ^(j), **F. Ferreira** ^(k), **V. Fonteneau** ^(g), **P. Fontanillas** ^(k), **R. Galicher** ^(k), **N. Galland** ^(h), **M. Kasper** ^(l), **C. Kulcsar** ^(m), **M. Langlois** ^(g), **M. Loupias** ^(g), **Y. Magnard** ^(b), **J. Mazoyer** ^(k), **J. Milli** ^(b), **M. N'Diaye** ⁽ⁱ⁾, **H.-F. Raynaud** ^(m), **S. Rochat** ^(b), **C. Schotte** ^(g), **D. Ségransan** ^(h), **E. Stadler** ^(b), **M. Tallon** ^(g), **A. Vigan** ⁽ⁿ⁾, **F. Wildi** ^(h), **G. Zins** ^(l), **A. Boccaletti** ^(k), **G. Barbary** ^(k)

^(a) INAF - Osservatorio di Astrofisica e Scienza dello Spazio di Bologna

^(b) Univ. Grenoble Alpes, CNRS, IPAG

^(c) INAF - Osservatorio Astronomico di Padova

^(d) INAF - Osservatorio Astronomico di Roma

^(e) Department of Physics, University of Rome Tor Vergata

^(f) INAF - Istituto di Radioastronomia

^(g) Université Lyon 1, ENS de Lyon, CNRS, CRAL

^(h) University of Geneva, Dept. of Astronomy

⁽ⁱ⁾ Laboratoire J.-L. Lagrange, Université Côte d'Azur, CNRS, Observatoire de la Côte d'Azur

^(j) Max-Planck-Institut für Astronomie

^(k) LIRA, Observatoire de Paris, Université PSL, CNRS, Sorbonne Université, Université Paris Cité


^(l) European Southern Observatory

^(m) Université Paris-Saclay, Institut d'Optique Graduate School, CNRS, Laboratoire Charles Fabry

⁽ⁿ⁾ Aix Marseille Univ, CNRS, CNES, LAM

The SPHERE instrument

- SPHERE: **S**pectro-**P**olarimetric **H**igh contrast imager for **E**xoplanets **R**earch
- eXtreme Adaptive Optics (XAO) system and coronagraphic facility @VLT UT3
- Science instruments: ZIMPOL, IRDIS and IFS (+HIRiSE upgrade)
- Imaging, low-resolution spectroscopy, and polarimetry for discovery and characterization of extra-solar planetary systems
- Strehl ratio > 75% in H-band in good conditions
- More than 10 years of operations, 500+ publications



SAXO+: pushing the limits of the XAO correction

- **Deeper/closer → contrast improvement**
 - Study young Jupiters close to the star (down to ~ 3 au)
 - Increase the frequency of the XAO system up to ~ 3 KHz
 - Improve the correction of non-common path aberrations and coronagraphic rejection
- **Fainter → sensitivity improvement**
 - Discovering and characterising planet-forming disks around fainter and redder stars
 - Wavefront sensing in the near-infrared benefits from first stage correction
 - Implement a more sensitive wavefront sensor in combination with a very low noise camera

SAXO+ Memorandum of Understanding / 1

- SAXO+ was proposed as part of the “**SPHERE+ upgrade**” white paper in the framework of the **VLT 2030 instrumentation programme**
 - While the whole SPHERE+ upgrade was not recommended for construction, ESO’s STC recommended the implementation of SAXO+ as part of the **PCS R&D roadmap activity** within ESO’s Technology Development Programme
- Technical goals of SAXO+
 - Coronagraphic raw PSF intensity contrast in H-band of 5×10^{-5} at 125 mas separation ($3 \lambda/D$) in average atmospheric seeing conditions of 0.7 arcsec and $\tau_0 = 3$ ms at 500 nm with a bright ($J < 8$) guide star
 - Robust operation with improved contrast compared to SPHERE alone in mediocre atmospheric seeing conditions
 - Demonstration of Cascaded Adaptive Optics, with flexibility of Real-Time Computer to apply different control laws

SAXO+ Memorandum of Understanding / 2

- Use after commissioning
 - 10 nights for technical tests
 - Up to 5 nights per semester for at least 3 years after installation for technical tests
 - Upon request by the SAXO+ Consortium, if SAXO+ provides compelling science benefits compared to the current SPHERE, ESO intends offering SAXO+ as a new SPHERE mode to the scientific community following its standard processes (starting with LSP-STC recommendation) and under the condition it can be operated by PAO
 - Amendment of current MoU
 - Granting of Guarantee Observing Time (GTO) to compensate for the investments of the SAXO+ Consortium in hardware

Thanks to Andrea Merlo (INAF DS) for reviewing the MoU

SAXO+ in pills

- Second-stage adaptive optics correction
- Adaptive deformable mirror with 28x28 actuators across the pupil diameter
- Up to 2.76 kHz (goal 3 kHz) correction frequency
- Near-infrared pyramid wavefront sensor 50x50 sub-apertures
- Common path wavelength range 0.95 – 2.32 μm
- Wavefront sensor path wavelength range 0.95 – 1.1 μm / 0.95 – 1.45 μm
- Guide star up to mag H 11.7+

Reference science cases

Name	SpT	G (mag)	J (mag)	H (mag)	K (mag)	Comments
Bright-1	AF	5.5	5.2	5.1	5.0	SHINE-AF, BEAST-ScoCen
Bright-2	AF	7.6	7.2	7.1	7.0	SHINE-AF (ScoCen)
Bright-3	GK	9.6	7.8	7.4	7.2	SHINE-GK (YNGs)
Red-1	early-M	11.9	8.5	7.9	7.7	SHINE-M (YNGs)
Red-2	K	12.8	10.1	9.5	9.4	DESTINYs
Red-3	early-M	14.5	10.1	9.4	9.2	Disk surveys
Red-4	late-M	15.3	11.4	10.6	10.2	ALMA samples
Red-5	late-M	16.8	12.5	11.7	11.3	Disk survey







Figure 4: Raw contrast gain of SAXO+ vs. SAXO averaged in 4 to 6 ND, for various science cases (B1: $G=5/J=5$, B2: $G=7.6/J=7.2$, B3: $G=9.6/J=7.8$, R1: $G=11.9/J=8.5$, R2: $G=12.8/J=10.1$, R2: $G=14.5/J=10.1$, R4: $G=15.3/J=11.4$, R5: $G=16.8/J=12.5$). The color/symbol code stands for the seeing (") and τ_0 (ms).

Point Spread Function: SAXO vs. SAXO+

SAXO




SAXO+




Non-invasive solution

- SAXO+ must preserve all current SPHERE functions and interfaces
- Implemented on a mezzanine with deployable pick-off mirrors
- Cascade control with few interactions with first correction stage
- Independent Real-Time Computer




Non-invasive solution


- SAXO+ must preserve all current SPHERE functions and interfaces
- Implemented on a mezzanine with deployable pick-off mirrors
- Cascade control with few interactions with first correction stage
- Independent Real-Time Computer




Optical design




Mechanical design



Control architecture




Control architecture




Control architecture

6 adaptive optics control schemes under development including classical PID, predictive control and machine-learning based



INAF contribution

System AO engineer, WP leader deputy, Co-I, contribution to several work packages, sub-system level AIT, contribution to procurement of hardware components





Finanziato
dall'Unione europea
NextGenerationEU



Ministero
dell'Università
e della Ricerca





Italiadomani


PIANO NAZIONALE
DI RIPRESA E RESILIENZA

INAF contribution



- Adaptive deformable mirror procurement
- Support equipment for SAXO+ AIT
- Funded by PNRR STILES project



AIT @ INAF OAS



AIT @ Uni. Genève





AIT @ MPIA



AIT @ CRAL



AIT @ IPAG




AIT @ Lagrange/OCA



AIT @ LIRA



Schedule



- AIT at INAF OAS Nov 2026 – Jun 2027
- AIT at CRAL Jun 2027 – Apr 2028
- AIV at ESO Paranal May 2028 – Jul 2028
- Commissioning Jul 2028 – Aug 2028

Beyond Commissioning

- Visitor Instrument proposal
 - Proposal submitted by SAXO+ Consortium to ESO in Sep 2026, reviewed Dec 2026
 - Proposed observation program consists of 10 nights and two main scientific objectives: exoplanets (5 nights), planet-forming disks (5 nights)
 - If visitor instrument proposal is successful, observing proposals could be submitted to OPC in Sep 2027
 - Observations could start in P119/P120 (2028 →)
- SAXO+ as SPHERE mode could start in P121 (2030)
 - To be confirmed, pending fulfilment of conditions set out in the MoU

Acknowledgements

The SAXO+ instrument is designed and being built by a consortium consisting of LIRA, CRAL, INAF, IPAG, Lagrange, Institut d'Optique, University of Geneva, MPIA, and LAM, in collaboration with ESO. The SAXO+ project is funded by the Fondation Charles Defforey-Institut de France, CNRS/INSU, the Programme et Equipements Prioritaires de Recherche PEPR Origins (ANR-22-EXOR-0002, ANR-22-EXOR-0003, ANR-22-EXOR-0017) within the Plan France 2030 of the French government operated by the National Research Agency (ANR), the NextGenerationEU funds within the National Recovery and Resilience Plan (PNRR), Mission 4 – Education and Research, Component 2 - From Research to Business (M4C2), Investment Line 3.1 - Strengthening and creating Research Infrastructures, Project IR0000034 – “STILES - Strengthening the Italian Leadership in ELT and SKA”, CUP C33C22000640006, PlanetS, MPIA, LabEx FOCUS ANR-11-LABX-0013