## X-RAY ASTRONOMY 2019



8-13 September 2019 CNR/INAF Research Area, Bologna, Italy

Contribution ID: 111 Type: Contributed

## Fast IR/X-ray observations from the MAXI new black-transients

Monday, 9 September 2019 15:25 (15 minutes)

Simultaneous O-IR / X-ray high-time resolution observations are one of the most powerful tools to study jets in Low-mass X-ray binareis. In this talk I present the latest results regarding fast-IR variabilty of the new black-hole transients which went in outburt between 2017 and today (e.g. MAXI J1535-571, MAXI J1820+070 and MAXI 1348-630). All these sources have been oberved in IR (K band) with HAWK-I with simultaneous X-ray coverage (XMM-Newton/Nustar/Nicer) at different stages of their outburst. Evidence of QPOs in both were found for all sources in both bands. Moreover I will also show and compare the different CCF measured the for these sources, discussing them in terms of models which try to explain fast O-IR variability in black-hole transients.

## **Topic**

## **Affiliation**

University of Southampton

**Primary authors:** VINCENTELLI, Federico (University of Southampton); CASELLA, Piergiorgio (INAF-OAR); MAC-CARONE, Tom (Texas Tech University); UTTLEY, Phil (University von Amsterdam); O'BRIEN, Kieran (Durham University); RUSSELL, Dave (NYUAD); FENDER, Rob (University of Oxford)

**Presenter:** VINCENTELLI, Federico (University of Southampton)

Session Classification: MULTI-MESSENGER AND TRANSIENT ASTRONOMY