



X-RAY ASTRONOMY 2019

Current Challenges and New Frontiers in the Next Decade

8-13 September 2019
CNR/INAF Research Area, Bologna, Italy

Contribution ID: 153

Type: **Poster**

NICER+NuSTAR phase-resolved spectroscopy of quasi-periodic oscillations in the X-ray binary GRS 1915+105

Friday, September 13, 2019 2:18 PM (2 minutes)

Low frequency quasi-periodic oscillations (QPO) with periods between ~ 10 s and ~ 0.05 s are often seen in the X-ray flux of accreting stellar-mass black holes. These are often attributed to the Lense-Thirring precession of the inner accretion flow, a General Relativistic effect caused by the spin of the black hole.

QPO phase-resolved spectroscopy, i.e. measuring how the X-ray spectrum changes with QPO phase, provides the best test of this model against alternative interpretations, since precession will lead to a rocking of the ~ 6.4 keV iron fluorescence line between Doppler red and blue shift over the course of each QPO cycle. We present a QPO phase-resolved spectral analysis of the bright black hole X-ray binary system GRS 1915+105 utilising simultaneous data from NICER and NuSTAR, using a novel method to track changes in the QPO centroid frequency during the course of the observation. The very high count rate and very broad band X-ray coverage (~ 0.3 -79 keV) provided by the combination of NICER and NuSTAR makes this an ideal dataset for our analysis.

Topic

Multi-messenger and transient astronomy

Affiliation

University of Oxford

Primary authors: NATHAN, Edward (University of Oxford); INGRAM, Adam (University of Oxford)

Presenter: NATHAN, Edward (University of Oxford)

Session Classification: POSTER SESSION