


Signatures of ubiquitous magnetic reconnection in the deep atmosphere of sunspot penumbrae


Luc Rouppe van der Voort & Jayant Joshi

Rosseland Centre for Solar Physics / University of Oslo

Abstract: Ellerman bombs are regions with enhanced Balmer line wing emission and mark magnetic reconnection in the deep solar atmosphere in active regions and quiet Sun. Recent observations suggest that Ellerman bombs are more prevalent than thought before. We aim to determine the occurrence of Ellerman bombs in the penumbra of sunspots. We analyze high spatial resolution observations of sunspots in the H-alpha and H-beta lines as well as auxiliary continuum channels obtained with the Swedish 1-m Solar Telescope. Features with all the defining characteristics of Ellerman bombs are found in large numbers over the entire penumbra. The true prevalence of these events is only fully appreciated in H-beta due to highest spatial resolution and lower chromospheric opacity. We find that the penumbra hosts some of the highest Ellerman bomb densities, only surpassed by the moat. Some penumbral Ellerman bombs show flame morphology and rapid dynamical evolution. Many penumbral Ellerman bombs are fast moving with typical speed of 3.7 km/s and sometimes more than 10 km/s. Many penumbral Ellerman bombs migrate from the inner to the outer penumbra over hundreds of km and some continue moving beyond the outer penumbral boundary into the moat. Many penumbral Ellerman bombs are found in the vicinity of regions with opposite magnetic polarity. We conclude that reconnection is a near continuous process in the low atmosphere of the penumbra of sunspots as manifest in the form of penumbral Ellerman bombs. These are so prevalent that they may be a major sink of sunspot magnetic energy.



Signatures of ubiquitous magnetic reconnection in the deep atmosphere of sunspot penumbrae



Ellerman Bombs in Penumbra:

- Large numbers
 - Clearest in H-beta
 - Rapid dynamical evolution
 - In vicinity opposite polarities
- *ubiquitous reconnection in sunspot penumbra*

Links to paper and movies:

[Roupe van der Voort et al. 2021 A&A Vol. 648 A54](#)

[Movies](#)

Observations from Swedish 1-m Solar Telescope (SST) on La Palma:
 H-beta 4861 Å (CHROMIS)
 H-alpha 6563 Å (CRISP)
 Wideband : continuum at 4846 Å